



Elegance : Engineered

**BLINDS & SOFT  
FURNISHINGS**

## WORLD CLASS PRODUCTS FROM A WORLD CLASS COMPANY



A world leader in the design and manufacture of blinds, shades and soft furnishings, Oceanair has been at the forefront of innovation, delivering on the most challenging and creative of briefs since 1990.

Honing in on more than 25 years of expertise developed across the world's oceans, Oceanair are able to challenge traditional blind design, and provide elegant, bespoke, flawlessly finished treatments for applications across five demanding markets – Leisure Marine, Luxury Home, Commercial Property, Superyacht and Recreational Vehicle.

With sales, manufacturing, support and installation teams in the UK and North America supported by a global distributor network, Oceanair supplies in-house manufactured blinds to most of the world's leading boatbuilders, offering a turnkey survey and installation service.

Oceanair can take your brief, however complex, to produce the results you want and the “wow” factor you seek. It's what we do – and we're outstanding at it. Three Queen's Awards and ISO accreditation say so...

**Oceanair**  
**Elegance: Engineered**



MEMBER OF  
**NMMA**  
National Marine  
Manufacturers Association

**BRITISH  
MARINE**  
LEADING THE INDUSTRY



# CONTENTS

	Hatches	Portlights & small windows	Windows	Roofs	Companionways & doors	Finishing touches
	Page <b>12</b>	Page <b>25</b>	Page <b>34</b>	Page <b>57</b>	Page <b>64</b>	Page <b>69</b>
<b>Powered</b>	●	●	●	●	●	6
<b>Child safe</b>	●	●	●	●	●	10
<b>SKYSCREEN</b>						
Roller Powered	●					16
Roller Concealed	●					18
Roller Recessed	●					19
Roller Surface 2	●					20
Pleated	●					22
<b>SKYSHADE</b>						
Cabinshade	●	●				24
Hatchshade	●					24
Portshade		●				28
Bigshade			●	●		63
Speedshield					●	68
<b>SKYSOL</b>						
Mini		●				29
Motion		●				30
Pleatedshade		●				32
Classic and Honeycomb			●			38
Day/Night			●			40
Precision			●		●	42
Frame				●		59
Frame Large				●		60
Track Large				●		61
Track Small					●	66
<b>SKYVENETIAN</b>			●			44
<b>ROLLER COLLECTION</b>						
Skyview			●			43
Openshade			●			54
Windowshade 2 & Precision			●			55
Windowshade 1				●		62
<b>SOFT FURNISHINGS</b>						
Curtains & Drapes			●		●	51
Romanblinds			●			52
<b>SKYSHADOW</b>			●			56
<b>COMPANIONWAY</b>					●	67
<b>FINISHING TOUCHES</b>						
Cushions and Pillows						● 70
Bedspreads & Throws						● 71
Luxury Bed Linen and Towels						● 72
Complete Luxury Dress Kits						● 73
Dryroll						● 74
Vent and Light						● 75
Brush & Stow						● 75



**WHATEVER THE ENVIRONMENT...**



## ...OR CHALLENGE





# AUTOMATED SHADING





- **Effortless control**
- **Child safe**
- **Ideal for hard-to-reach blinds**




"Bespoke superyachts are the pinnacle of craftsmanship and design. At Design Unlimited, we strive for perfection with an attention to detail second to none. With meticulous installation and programming, powered blinds and control mechanisms completely transform the light on board at the touch of a button. Fingertip control of natural light is one of the elements that help us take luxury to the next level."

**Mark Tucker, Yacht Designer,**  
**[designunlimited.net](http://designunlimited.net)**



# UNIQUE MOTOR MENU

Oceanair offer a menu of motors to suit all budgets and functional requirements. This unique menu ensures the whole product range can be automated. For more detailed motor options please visit [oceanair.co.uk](http://oceanair.co.uk)



Motor type		SKYSOL	SKYVENETIAN	SKYVIEW	ROLLER COLLECTION	ROMAN BLIND	CURTAINS	SKYSCREEN
 REGULAR		●	●	●	●	●		●
 WHISPER		●	●	●	●	●		
 NEAR SILENT		●	●	●	●	●	●	



## Motor Housing

Oceanair's electrical motor systems are of compact design, fitting neatly inside the head rail or roller. The slim profile makes Oceanair blinds perfectly suitable for combination designs; allowing two or three blinds to sit comfortably within the same aperture, providing multiple light diffusion options. Please visit [oceanair.co.uk](http://oceanair.co.uk) for detailed head rail options available for each product.

**Universal  
headrail for  
all whisper  
and silent  
motors**  
(excludes  
roller  
collection)





# CONTROL OPTIONS

Sit back, relax and unwind – let the blinds take care of themselves...



Visit [oceanair.co.uk](http://oceanair.co.uk) for details of all control options

## OCEANAIR SOMFY WIREFREE™



Oceanair have specially designed a comprehensive range of custom blinds, powered by Somfy WireFree™ battery operated technology.

The WireFree™ range enables you to operate powered blinds, at the touch of a button, without the need for wires.

- Battery powered
- Solar panel option available
- 100% wire free
- Easy installation
- Discreet, low profile
- Cost effective powered upgrade option
- Fully compatible with all control options above

Look out for our WireFree™ battery logo for availability across the SKYSOL, ROLLER COLLECTION, SKYVIEW, SKYVENETIAN and ROMANBLIND ranges.

See [oceanair.co.uk](http://oceanair.co.uk) for more information on the Oceanair range, powered by Somfy WireFree™.



**CHILD SAFETY**





All Oceanair blinds adhere to industry standard child safety regulations, offering a range of safety options with every product to prevent serious or fatal injury to small children.



### **Child safe devices include**

#### **Powered Blinds**

Eliminates the need for operating cords



#### **Self Contained Handles**

Concealed cord operation



#### **Precision Hold**

Deploy and hold at any height without visible cords



#### **Cleat**

Fastens loose cording



#### **Cord/Chain Tidy**

Ensures taut chain or loop cord



#### **Cord Breaker**

Separates cording with applied pressure



#### **Auto Release Cord Breaker**

Fitted as standard to all Roman blinds



**Visit [oceanair.co.uk](http://oceanair.co.uk) for more information on child safety**



# HATCH COVERINGS

Manufactured to fit all known hatch brands




**Oceanair hatch coverings control light transmission and, by extension, the cabin temperature.**

A 3-layer blind fabric combines 0% light transmission and 80% heat reflection in a waterproof, UV-resistant, low maintenance, blind fabric.

**Benefits:**

- Temperature control
- Reduced energy bills
- Onboard privacy
- A good night's sleep
- Reduce UV damage
- Insect control
- Reduced glare
- Reduced condensation



**By controlling light transmission and reflecting heat, hatch coverings help control the temperature in your cabin.**



# HATCH COVERINGS RANGE




## **SKYSCREEN Roller Powered**

The deluxe blind. Controlled at the touch of a button – page 16



## **SKYSCREEN Roller Concealed**

The style solution. Designed to be concealed in the headlining – page 18



## **SKYSCREEN Roller Recessed**

The discreet shade. Designed to fit flush with the headlining – page 19







### **SKYSCREEN Roller Surface 2**

The easy fit shade. For all budgets – page 20



### **SKYSCREEN Pleated**

The slim-line pleated blind. Combines style with roller screen function – page 22




### **SKYSHADE CABINSHADE**

The simple cassette roller blind. Housed in a functional extrusion for hatches for windows – page 24



### **SKYSHADE HATCHSHADE**

The seamless fit cassette roller blind. Housed in an elegant profiled design – page 24



# SKYSCREEN


## ROLLER POWERED

	Width (x)		Drop (y)	
Minimum	200mm	7 7⁄8"	200mm	7 7⁄8"
Maximum	800mm	31 1⁄2"	800mm	31 1⁄2"

Powered flyscreen and blackout combination blind for hatches, achieving a stylish, integrated look



- Controlled at the touch of a button
  - Wood and aluminium trims available
- Suitable for square or round apertures
  - Simple installation



Powered option see page 6



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

# SKYSCREEN

## POWERED & CONCEALED TRIM SYSTEM

### Wood trim

- The high quality, hard wearing wood trim system gives a stylish and timeless finish
- A choice of three veneer finishes are available as standard: cherry, mahogany and teak. A wide range of other veneer finishes also available to order
- The edges of the trim are capped so the end grain is not visible
- Wood trims are available to fit any hatch and can accommodate a wide range of radius sizes
- Design can accommodate cambered headlinings
- Precision engineered
- Temperature stable, eliminating bowing, shrinkage or expansion

### Composite trim

- The upper trim is made from a flexible UV stable material making it durable and light reflective. Available in one colour
- The injection moulded corners and alloy extrusion give a clean look to the interior headlining. Available in beige and white
- Accommodates most hatch sizes
- Available in two radius sizes: 50mm (1 15/16") and 43mm (1 11/16") to suit most common hatches
- Simple to fit and easy to access with an innovative clip mounting meaning no visible fixings and a thoroughly professional finish, along with ease of installation

### Aluminium trim

- Long lasting, stylish finish available in white, beige or mill (unpainted)
- Aluminium trims are available to fit any hatch and can accommodate a wide range of radius sizes
- Round and trapezoid shapes available to suit main hatch brands

Wood trim options



Cherry Teak Mahogany

Composite colour options

lower trim upper trim




White Beige White

Aluminium colour options



White Beige



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)




# SKYSCREEN ROLLER CONCEALED

	Width (x)		Drop (y)	
Minimum	200mm	7 7/8"	200mm	7 7/8"
Maximum	800mm	31 1/2"	800mm	31 1/2"

**Combination roller blind with push button release, designed to be concealed within the headlining**



- Quick release buttons
- Recoil damper system
- Slim line cassette for narrow headlining
- Suitable for square or round apertures
- Simple installation



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)


# SKYSCREEN ROLLER RECESSED

	Width (x)		Drop (y)	
Minimum	200mm	7 <sup>7</sup> / <sub>8</sub> "	100mm	3 <sup>15</sup> / <sub>16</sub> "
Maximum	1100mm	43 <sup>5</sup> / <sub>16</sub> "	900mm	24 <sup>15</sup> / <sub>16</sub> "

Engineered to sit flush with the headlining, with dual roller for the option of flyscreen or blackout covering



- Fits flush to headlining
- Easy installation
- Seamless join to hatch tunnel
- Magnetic handle system
- Coated aluminium extrusion for even more strength



Hardware colour options



White

Beige



See page 21 for flexible trim system

For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

# SKYSCREEN ROLLER SURFACE 2

	Width (x)		Drop (y)	
Minimum	150mm	6"	100mm	3 5/8"
Maximum	627mm	24 1/8"	627mm	24 1/8"

**Surface mounted blackout and flyscreen, ideal for retro-fit**




- Easy installation
- Ideal for thin decks, soft or no headlining
- Optional seal and liner systems
- Low profile design
- Ability to retro-fit to existing trim surrounds, providing the trim is <12mm (1/2")
- Wide range of standard sizes
- New contemporary shape



OCEANair

Available in  
chandleries

Hardware colour  
options



Available from most chandlers, SKYSCREEN Roller Surface comes in the following standard size options:

Part No.	To fit hatch	Width (X)	Drop (Y)
SRS-10	Lewmar 10	261mm (10 1/4")	261mm (10 1/4")
SRS-20	Lewmar 20	347mm (13 5/8")	203mm (8")
SRS-30	Lewmar 30	457mm (18")	327mm (12 7/8")
SRS-44	Lewmar 44	442mm (17 3/8")	442mm (17 3/8")
SRS-54	Lewmar 54	507mm (20")	392mm (15 3/8")
SRS-60	Lewmar 60	507mm (20")	507mm (20")
SRS-70	Lewmar 70	627mm (24 5/8")	627mm (24 5/8")
SRS-1000	Bomar 1000	273mm (10 3/8")	273mm (10 3/8")

For a complete list of standard sizes matching major hatch brands, technical information, custom order forms or information on matching your hatch please go to [www.oceanair.co.uk](http://www.oceanair.co.uk). If you are unsure of the dimensions always choose a larger size.

For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)


# SKYSCREEN

## ROLLER RECESSED & SURFACE 2 FLEXIBLE TRIM SYSTEM

For the perfect finish between hatch and screen




Recessed




Up to 135mm  
(5 5/16")  
hatch tunnel  
coverage

Round hatch




Surface



Up to 125mm  
(5") hatch  
tunnel  
coverage

Round hatch



- Available for all makes and sizes
- Two height options: 44mm (1 3/4") and 102mm (4") that can be cut down to fit any hatch tunnel
- Lightweight, simple design for easy installation
- Hard wearing and easy to clean
- Flexible, UV stable material ensuring durability
- Available flat packed for easy shipping
- Available in white only



White

# SKYSCREEN

## ROLLER RECESSED & SURFACE TRIM MOULDINGS

The trim mouldings for SKYSCREEN Roller Recessed and SKYSCREEN Roller Surface offer a neat solution for both round and D-shaped hatches

- ABS manufactured or injection-moulded
- Broad operational temperature range
- Smart, easy to clean finish
- Economical, durable and elegant
- Extensive range of standard sizes available
- Available in white or beige



White



Beige





# SKYSCREEN PLEATED

	Width (x)		Drop (y)	
Minimum	130mm	5 1/8"	85mm	3 3/8"
Maximum	1070mm	42 1/8"	2000mm	78 3/4"

Drop restrictions on longer width blinds

**Pleated flyscreen and blackout combination blind, ideal for either small or large hatches**



- Ultra-slim cassette ensures minimal impact on headroom
- Concealed or surface mounted
- Simple installation
- Complements SKYSOL range
- A custom solution for larger hatches
- Suitable for angled hatches
- Blackout-only option for fixed windows
- Optional trim and liner systems



## Size capability

The fabric within a SKYSCREEN Pleated Surface is stacked rather than rolled, providing the means to build to a greater size and extends to a length of 3 metres

Hardware colour options



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)


# SKYSCREEN

## PLEATED TRIM SYSTEM

### For the perfect finish between hatch and screen


The trim system for SKYSCREEN Pleated comprises four separate moulded pieces that simply fit onto the blind cassette for fast and easy installation.

- Manufactured from UV stable material making it durable and light reflective
- Suits all makes and sizes of hatch with two standard trim sizes, suitable for cutting to fit any hatch tunnel
- The minimalist and stylish design is hard wearing and easy to clean
- Available flat packed for easy shipping
- Available in white and beige
- Two radius sizes available, please visit our website for more details



Moulded trim fits neatly behind hatch flange

Corner radius matches hatch radius



# SKYSHADE

## CABINSHADE AND HATCHSHADE


**Simple, functional roller shade, perfect for hatches or small windows, housed in a round cassette**

	Width (x)		Drop (y)	
Minimum	200mm	7 7/8"	0mm	0"
Maximum	1100mm	43 1/8"	900mm	35 7/8"



### Cabinshade

- Simple cassette roller
- Mounted with just 2 screws
- Well suited to curved headlinings
- 0% light transmission fabric




**Roller blind with a shaped cassette, designed to create a seamless finish with the headlining**

	Width (x)		Drop (y)	
Minimum	200mm	7 7/8"	0mm	0"
Maximum	1400mm	55 1/8"	900mm	35 7/8"



### Hatchshade

- Stylish cassette roller
- Shaped head-box for seamless look
- 0% light transmission fabric
- Simple installation



Available from most chandlers, CABINSHADE comes in the following standard size options:

Part No.	Aperture size Width (X)	Drop (Y)
CSH-1	360mm (14 1/8")	400mm (15 3/4")
CSH-2	470mm (18 1/2")	510mm (20 1/8")
CSH-3	550mm (21 5/8")	600mm (23 5/8")
CSH-4	680mm (26 3/4")	700mm (27 1/2")

Hardware colour options



White Beige Silver  
(Cabinshade only)

For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)




# PORTLIGHTS AND SMALL WINDOWS

When you need privacy on board, Oceanair have a range of elegant pleated shades and roller blinds to suit all shapes of portlights and small windows.



# PORTLIGHT AND SMALL WINDOW RANGE



## **SKYSHADE Portshade**

Sleek and simple – page 28



## **SKYSOL Motion**

Smart and stylish – page 30



"Portlight shades are essential for privacy when on the dock. We love our Oceanair Portshades as the blackout fabric also helps us sleep at night."

**Cruisers Boat Owner,  
Fort Lauderdale Boat Show**



### SKYSOL Mini

Small and compact – page 29



### SKYSOL Pleatedshade

Hardware-free pleated blind – page 32




# SKYSHADE PORTSHADE

	Width (x)		Drop (y)	
Minimum	200mm	7 7/8"	0mm	0"
Maximum	1200mm	47 1/4"	320mm	12 5/8"

Ultra slim cassette roller shade, suitable for even the smallest of portlights



- Easy-fit with just two screws
  - Top or face fix
  - Ultra-slim cassette
- Custom sizes available
  - Suitable for flat or curved surfaces
  - Available in silver, perfect for RVs



Hardware & hold down colour options



Available from most chandlers, PORTSHADE comes in the following standard size options:

Part No.	Aperture size	
	Width (X)	Drop (Y)
PSH-1	340mm (13 3/8")	280mm (11")
PSH-2	380mm (15")	280mm (11")
PSH-3	460mm (18 1/8")	320mm (12 5/8")
PSH-4	660mm (26")	320mm (12 5/8")
PSH-5	720mm (28 3/8")	320mm (12 5/8")

For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)


# SKYSOL MINI

	Width (x)		Drop (y)	
Minimum	250mm	9 7/8"	100mm	3 15/16"
Maximum	600mm	24"	320mm	12 5/8"

## Most compact pleated blind on the market



- 30% smaller than anything comparable on the market
- Blackout, ideal for cabins
- Magnetic hold down system
- Perfectly complements SKYSCREEN Pleated
- Easy installation with just two screws
- Framefix available, see page 33



Available from most chandlers, SKYSOL Mini comes in the following standard size options:

Part No.	Aperture size		Drop (Y)
	Width (X)		
SMI-1	365mm	(12 13/64")	305mm (12")
SMI-2	415mm	(12 23/64")	320mm (12 3/64")
SMI-3	470mm	(12 35/64")	320mm (12 3/64")
SMI-4	550mm	(12 51/64")	320mm (12 3/64")
SMI-5	600mm	(24")	320mm (12 3/64")

For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)



	Width (x)		Drop (y)	
Minimum	280mm	11"	150mm	5 7/8"
Maximum	1500mm	59 1/16"	1000mm	39 3/8"


Drop restrictions on longer width blinds

## Smart, auto-retractable pleated blind for portlights and small windows at any inclined angle




- Deluxe finish at competitive cost
- Choice of classic pleat or honeycomb fabrics
- No visible guide wires
- Tensioned cording system
- Suitable for inclines
- Also suitable for windows

Face or top fix



Innovative recoil mechanism



Easy to use twin handle and hold down

Hardware colour options



White



Beige

For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

**Ideal for inclines**



**Suitable for simple shaping**



Available from most chandleries, SKYSOL Motion comes in the following standard size options:

Part No.	Aperture size		Drop (Y)
	Width (X)		
SMO-1	350mm	(13 3/4")	400mm (15 3/4")
SMO-2	450mm	(17 11/16")	520mm (20 1/2")
SMO-3	550mm	(21 5/8")	640mm (23 3/16")
SMO-4	680mm	(26 3/4")	750mm (29 1/2")

For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

# SKYSOL PLEATEDSHADE

	Width (x)		Drop (y)	
Minimum	100mm	3 15/16"	100mm	3 15/16"
Maximum	2100mm	82 1/16"	700mm	27 9/16"

Drop restrictions on longer width blinds

**Soft and elegant pleated blind, easily installed for portlights and small windows**




- Also suitable for small windows
- Simple, quick installation
- Available in a range of standard and custom sizes
- Supplied with either a top or bottom stack option
- Coloured trim and blackout lining also available
- Able to accommodate simple shapes

Simple fix through the fabric-covered batten, either as face or top fix

Optional blackout second skin

SKYSOL Harmony fabric available in four colours

Hold down with a selection of options



OCEAN **air**

Available in chandleries

Available from most chandlers, SKYSOL Pleatedshade comes in the following standard size options:

Part No.	Fabric dimensions	
	Width (X)	Drop (Y)
PLS-1	381mm (15")	305mm (12")
PLS-2	508mm (20")	305mm (12")
PLS-3	635mm (25")	305mm (12")
PLS-4	762mm (30")	305mm (12")
PLS-5	1016mm (40")	305mm (12")

Fabric colour options:



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

# SKYSOL

## FRAMEFIX OPTIONS

Innovative elegant engineering to minimise installation effort



Oceanair Framefix is a unique and simple installation solution. Perfect for thin cabin walls, the Framefix device is simply installed to the existing portlight. Available for both **SKYSOL Pleatedshade** and **SKYSOL Mini**, Framefix gives extra clearance space for the blind to be comfortably deployed, while designed to ensure minimal light seepage.

### Framefix deployed



SKYSOL  
PLEATEDSHADE

### Framefix stowed



Hold down peg can be attached by the portlight's own fixing (subject to portlight model) or can be fixed separately



SKYSOL  
MINI

Framefix bracket can either be fixed by the portlight's own fixing or simply hooked behind the portlight



# WINDOW TREATMENTS








# WINDOW TREATMENT RANGE


## SKYSOL Classic & Honeycomb

The versatile pleated blind  
– page 38



## SKYSOL Day/Night

The combination pleated blind  
– page 40




## SKYSOL Precision

The cost engineered, precision hold  
pleated blind – page 42



## SKYVENETIAN Leather, Wood & Alloy

The stylish Venetian – page 44



## ROLLER COLLECTION Skyview

The contemporary privacy shade –  
page 43



## SOFT FURNISHINGS Curtains & Drapes

The classic finish – page 51



## SOFT FURNISHINGS Romanblinds

The luxurious fabric blind  
– page 52



## ROLLER COLLECTION Openshade

The elegant roller shade  
– page 54



## ROLLER COLLECTION Windowshade 2 & Windowshade Precision

The deluxe roller blind – page 55



## SKYSHADOW

The reflective screen – page 56





# SKYSOL

## CLASSIC AND HONEYCOMB

	Width (x)		Drop (y)	
Minimum	106mm	4 <sup>3</sup> / <sub>16</sub> "	100mm	3 <sup>15</sup> / <sub>16</sub> "
Maximum	2506mm	98 <sup>1</sup> / <sub>16</sub> "	2500mm	98 <sup>7</sup> / <sub>16</sub> "

Minimum width for powered is 306mm


**Exquisite pleated blinds, perfect for windows of any shape or incline, custom designed for a perfect fit**



- Accommodates simple to complex shaped windows
- Suitable for inclines
- Vast range of Classic & Honeycomb pleated fabrics to choose from
- Custom designed for seamless fit
- Low profile head-rail
- Suitable for small recesses


Head rail can be top or face fixed

Top fix    Face fix



Moving rail to control blind position, available with a range of handles


Blind shown here in 3 bar configuration, ready for installation. Also available in 2 bar configuration



Vast range of Honeycomb and Classic fabrics



Hardware colour options



White    Graphite    Beige



**Powered option see page 6**




For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)


# SKYSOL

## THE ULTIMATE SOLUTION FOR SHAPING

The blinds are shaped using a full size CAD template of the window recess.



Oceanair's unique hinge system facilitates shaping by smoothing the fabric over the jointed rail.



Classic rectangle

All images are representative only.

	Width (x)		Drop (y)	
Minimum	300mm	11 7/8"	100mm	3 15/16"
Maximum	2506mm	98 11/16"	2500mm	98 7/16"

Minimum width for powered 606mm

**Combination privacy and blackout, pleated window blind, ideal for maximum light and temperature control**



- Accommodates dual fabric combinations
- Blackout and privacy control
- Suitable for small recesses
- Accommodates simple shapes
- Suitable for inclines
- Vast range of Classic & Honeycomb pleated fabrics to choose from


0% light transmission  
Honeycomb Night fabric



SKYSOL Classic fabric for day use  
with relatively high percentage light  
transmission



Optional guide wire for blind stability



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)


# SKYSOL

## HANGING INCLINE HOLD DOWNS




### Type A0

A free-hanging blind with a cord lock. Only suitable for vertically hanging blinds.




### Type A0-DB

Offering better fabric support for larger blinds with wire support running through the centre, available in two or three-bar configurations. Cord lock operated.




### Type A0-DBE

A variant of Type A0 with wire support to give the blind additional stability. Can be used on windows at angles up to 20°.




### Type AB

Blind stabilised on cords. Ideal for holding near vertical blinds in position, while resisting the boat's motion. Can be used on windows at angles up to 30°.



### Type DB

Suited to angled blinds. For window angles up to 60°, guide wires are used to maintain pleat definition and blind shape, suitable for angled windscreens and other locations. This option gives the minimum amount of wires for maximum support.




### Type PB

This option offers additional wire support, offering the ultimate in blind support for use in steeply angled or horizontal overhead blinds.

### Type AB, DB & PB control options

Articulating handle, fixed option available



Webbing handle



Fixed handle




Colour co-ordinated to match the range of available hardware options, our low profile articulating handle is ideal for SKYSOL blinds stowed behind valances.

### Type A0 control options

Lift cord options



### Type A0-DB, A0-DBE, AB and DB hold down options



Available in chrome, brushed nickel, white, graphite and beige to complement the colour of the moving rail.




	Width (x)		Drop (y)	
Minimum	100mm	3 15/16"	280mm	10 7/8"
Maximum	2000mm	78 3/4"	2000mm	78 3/4"

**Pleated blind, engineered to deploy and hold at any height, ideal for windows and aft patio doors**



- Perfectly suited to aft patio doors
- Suitable for large recesses
- Magnetic hold down system
- Accommodates inclines of 5°
- Easy installation
- Deploy and hold at any height
- Guide wires available to prevent swinging
- No visible cords
- Vast range of Classic & Honeycomb pleated fabrics to choose from



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

# ROLLER COLLECTION


## SKYVIEW

	Width (x)		Drop (y)	
Minimum	400mm	7 7/8"	300mm	5 7/8"
Maximum	3000mm	118 1/8"	3000mm	118 1/8"

**A sheer blind for daylight use with tilting vanes for night time privacy**



- Combined day and night blind
- Easy operation of a roller blind
- Minimal space required for fixing
- Ideal for sharing aperture with other treatments
- Guide wires available to prevent swinging
- Luxury fabric in a choice of shades
- Contract fabrics available



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)



# SKYVENETIAN

LEATHER, WOOD AND ALLOY







# SKYVENETIAN RANGE

## LEATHER

Luxury venetian blind with slats covered in the finest of leathers, perfect for windows



## WOOD

Hand crafted, classic venetian blind with the highest quality wood slats, custom designed for windows



## ALLOY

Contemporary look venetian, suitable for multiple applications including portlights, windows and doors



# SKYVENETIAN

## KEY FEATURES

LEATHER	Width (x)		Drop (y)	
Minimum	345mm	13 5/8"	200mm	7 7/8"
Maximum	2400mm	118 1/8"	2500mm	98 7/16"

WOOD	Width (x)		Drop (y)	
Minimum	345mm	13 5/8"	200mm	7 7/8"
Maximum	2700mm	106 3/16"	2500mm	98 7/16"


  

ALLOY	Width (x)		Drop (y)	
Minimum	270mm	10 5/8"	200mm	7 7/8"
Maximum	3160mm	124 7/16"	4000mm	157 1/2"

May vary for powered and slat width. Please check [oceanair.co.uk](http://oceanair.co.uk)



- Easily adjustable guidewire tensioning system
- Discreet head rail with a minimal space requirement
- Optional matching valance
- Lift cord
- Tilt cord or wand
- Slats available in leather, wood and alloy
- Guide wire to edge of slat ensures easy running whilst securing blind in position
- Cut in bottom rail fits neatly in window aperture
- Guide wire hold down fittings



Wood & leather  
Slat depth  
70mm (2 3/4")

Alloy, wood & leather  
Slat depth  
50mm (1 15/16")


Alloy & wood  
Slat depth  
25mm (1")

Alloy  
Slat depth  
16mm (5/8")



Stylish peg and sidetrack system is a contemporary alternative to guidewires – ideal for heavier blinds and creating a clear vista

### Hold down options



**Powered option** see page 6

Custom slat widths always available

For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

# SKYVENETIAN CONTROLS

## Conventional wand and lift cord

The wand and lift cord control the tilt and lift of the slats – available in a variety of colours. For 50mm (1 15/16") slats, the wand is replaced with a cord tilt



## Continuous cord (16, 25, 50mm)

A new feature from Oceanair, one cord performs the slat tilt and lift operation. The unique exit point enables the cord to be operated from any angle. The mechanism is geared for easy lifting



## Precision (Alloy and Wood)

For size limitations see [oceanair.co.uk](http://oceanair.co.uk)



Inspired by SKYSOL technology, Oceanair have developed the cordless operating SKYVENETIAN Precision. Much like its pleated counterpart, the blind can be lifted and deployed using a handle, fixed to the

bottom rail. Precision can also hold steady at any point along the guide wires, and allow for slat tilt whilst in mid-deploy position. Simply twist the tilting wand to angle the slat to your preferred orientation

## Accessories


Wands and acorns are supplied in wood colours coordinated with the slats.





# SKYVENETIAN SHAPING

Some of the many shaping options available with Oceanair SKYVENETIAN. Some shapes may restrict functionality





# SOFT WINDOW TREATMENTS



# SOFT FURNISHINGS

## CURTAINS & DRAPES

	Width (x)		Drop (y)	
Minimum	300mm	12"	300mm	12"
Maximum	10000mm	393 1/16"	3000mm	118 1/8"


Larger widths available powered only

Classic or contemporary, handcrafted curtains, entirely made to order, perfect for windows or doors



- Oceanair Curtains are entirely made to order
- Custom track bending service
- Blackout, thermal, lined, interlined, fire retardant and UV reflective options available

### Curved track options



### A taste of some heading options



Powered option  
see page 6



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)



# SOFT FURNISHINGS


## ROMANBLIND

	Width (x)		Drop (y)	
Minimum	200mm	7 7/8"	200mm	7 7/8"
Maximum	3000mm	118 1/8"	3000mm	118 1/8"

**Traditional, bespoke fabric blind for windows, made in Britain with the highest quality textiles**



- Ideal for sharing aperture with other treatments
- Blackout lining and interlining available
- Choice of head rail types
- Available with guide wires
- Suitable for slight inclines
- Side tacks available
- Choice of pleat styles
- Infinite fabric choice



See the wide range of stunning pleat types, controls and accessories at [oceanair.co.uk](http://oceanair.co.uk)

# SOFT FURNISHINGS

## ROMANBLIND PANEL


	Width (x)		Drop (y)	
Minimum	600mm	24"	2200mm	86"
Maximum	500mm	19 7/8"	2200mm	86"

Maximum drop dependent on fabric weight


A unique Romanblind designed for inclined and parallelogram shaped windows



- Designed for inclined and shaped windows
  - Fabric panels accommodate tapered parallelograms
- Powered operation recommended
  - Telescopic rods hold fabric steady in side tracks



Some of the shaping options available with Romanblind Panel



Powered option see page 6



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)



# ROLLER COLLECTION


## OPENSHADE

	Width (x)		Drop (y)	
Minimum	200mm	7 7/8"	150mm	5 7/8"
Maximum	4000mm	157 1/2"	4000mm	157 1/2"

Simple, classic roller shade, custom designed for windows of any size



- Available with guide wires
- Suitable for slight inclines
- Dual fix bracket available, ideal for combining two fabric options
- Easy to install



Powered option see page 6



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

# ROLLER COLLECTION

## WINDOWSHADE 2 & PRECISION

	Width (x)		Drop (y)	
Minimum	350mm	13 ¾"	250mm	9 13/16"
Maximum	2400mm	94 ½"	2000mm	78 ¾"


**Framed roller blind for ultimate light control, with the option of precision hold at any deployed height**



- Perfect for large windows
- Cassette roller within its own framework

- Supplied pre-assembled, ready to install
- Fabric slides within side track, reducing light seepage

- Optional Precision hold available
- Choice of sheer, privacy and blackout fabrics



Hardware colour options



White Black  
Custom colours also available

**Powered option** see page 6



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

# SKYSHADOW




	Width (x)		Drop (y)	
Minimum	100mm	3 15⁄16"	100mm	3 15⁄16"
Maximum	1000mm	39 3⁄8"	1400mm	55 1⁄8"

**Fast, effortless and affordable window shading solution perfect for any RV or small craft**



- Easy to use and quick to deploy
- Made to measure, accommodating any window size, shape and curve
- Reflective material controls cabin temperature
- Protects interior from UV damage
- Reduces condensation

## Fabric technology



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

# ROOF BLINDS






# ROOF BLINDS RANGE

## SKYSOL Frame

Day or blackout blind in an easy to install frame – page 59

Recommended for roof windows up to 1400mm width (55")



## SKYSOL Frame Large

Robust frame and rods for large roof windows – page 60

Robust and guidewire free for larger roofs, fast and efficient install



## SKYSOL Track Large

The perfect shading solution for large ceiling windows – page 61

Power option available for large roofs, ideal for matching ceiling curvature




## ROLLER COLLECTION Windowshade 1

A unique zip system ensures a wind resistant and 0% light transmission blind – page 62



## SKYSHADE Bigshade

A cassette roller blind housed in an elegant profiled design, designed for quick installation – page 63




	Width (x)		Drop (y)	
Minimum	128mm	5 1/16"	200mm	7 7/8"
Maximum	2500mm	98 3/16"	2500mm	98 3/16"

**Elegant pleated blind, designed and built within its own framework ideal for rooflights and windows**




- Suitable for small to medium sized apertures
- Pre-assembled for easy installation
- Optional flyscreen combination
- Powered operation available



**Guidewire free for roof windows up to 1400mm width (55")**

Hardware colour options



White Graphite Beige

**Powered option** see page 6



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)


# SKYSOL FRAME LARGE

	Width (x)		Drop (y)	
Minimum	600mm	23 5/8"	800mm	31 1/4"
Maximum	2200mm	86 5/8"	2500mm	98 3/8"

**A unique pleated roof blind, engineered to complement an existing range of sunroofs, or custom fit**



- Intermediate bars to prevent drooping along the width of the fabric
- Large dimensions
- UV protection
- Frame can be custom curved
- Fully customizable
- Quick and easy to install
- Flat packed for easy shipping



Integrated design  
for Webasto roofs

**Robust and guidewire free for larger  
roofs, fast and efficient install**

Hardware colour options



White Beige

For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

	Width (x)		Drop (y)	
Minimum	450mm	17 1/4"	400mm	15 3/4"
Maximum	2200mm	86 5/8"	3000mm	118 1/8"

Minimum width for powered 600mm

## Lightweight, smart pleated blind, custom built for shading large sunroofs



- Discreet cording for a clear aperture
- Track system, suitable for curvature

- Rods hold the fabric secure and steady
- Robust moving rail perfect for wide apertures

- Single fabric only, for dual fabric, see SKYSOL Frame – page 59


Heavy duty moving rail, well suited to wide spans/apertures

Honeycomb fabric with integral supporting rod system



Side rails to support the fabric rods to maintain the form of the blind. Can be gently curved

Head rail to house motor and cording system



Rods slide smoothly within side tracks

**Power option available for large roofs, ideal for matching ceiling curvature**

Hardware colour options



White Beige

**Powered option** see page 6



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)



# ROLLER COLLECTION

## WINDOWSHADE 1


	Width (x)		Drop (y)	
Minimum	200mm	13 ¾"	75mm	9 13/16"
Maximum	5200mm	204 ¾"	6400mm	251 15/16"

**Smart and stylish roller shade, perfect for rooflights or windows at any incline angle**



- Perfect for roof lights
- Suitable for curved and inclined apertures

- Delivered pre-assembled for easy installation
- Powered operation available



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)


# SKYSHADE BIGSHADE

	Width (x)		Drop (y)	
Minimum	200mm	7 7/8"	0mm	0"
Maximum	1800mm	70 7/8"	1900mm	74 13/16"

Neat, effortless and cost engineered roller blind, custom designed for larger windows



- Large cassette roller blind
- Aesthetically pleasing shaped housing
- Choice of hold down options
- Quick and easy installation



Hold down options



Peg



Toggle



Mini grip



Long hold down

Hardware colour options



White Beige Grey Black

For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

# COMPANIONWAYS AND DOORS



# COMPANIONWAYS AND DOORS RANGE

## SKYSOL Track Small

The custom pleated blind for curved tracks – page 66




## SKYSOL Precision

The cost engineered, precision hold pleated blind – refer to Windows section on page 42



## SOFT FURNISHINGS Curtains & Drapes

The classic finish – refer to Windows section on page 51



## COMPANIONWAY

The stylish combination roller blind – page 67



## SPEEDSHIELD

The wind resistant roller blind – page 68





	Width (x)		Drop (y)	
Minimum	450mm	17 1/16"	200mm	7 7/8"
Maximum	1200mm	47 1/4"	2000mm	78 3/4"
Minimum R 75mm+ (2 15/16")				

## Bespoke pleated blind ideal for curved windows and companionways



- Track technology suited to tight radius curves
- Full 3D product drawing service available for assistance with vessel design
- Choice of a wide range of sheer or blackout SKYSOL Classic and Honeycomb fabrics
- Rod system removes the need for visible support wires
- Dual fabric option available



Rods within the fabric slide smoothly inside the custom curved side tracks

Moving rail controls adjustable blind position, available with a range of colour coordinating handles

For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)


# COMPANIONWAY

	Width (x)		Drop (y)	
Minimum	550mm	21 5/8"	500mm	19 1/4"
Maximum	1000mm	39 3/8"	1600mm	63"
Minimum R 400mm (15 3/4")				

**Custom combination roller blind for curved apertures, engineered especially for companionways**



- Available as a single or double ended blind for dual fabric selection
- Both blinds can be deployed at the same time and positioned for an optimum mix



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)


# SPEEDSHIELD

	Width (x)		Drop (y)	
Minimum	400mm	15 ¾"	100mm	3 15/16"
Maximum	600mm	24"	930mm	36 5/8"

Wind resistant roller blind, optimised for sports craft companionways and doors



- Discreet, cost effective alternative to a walkway door
- Easy to operate and install
- Independently tested; equally as effective as a rigid door
- UV and water resistant
- Easy to maintain, clean and service



For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)

# FINISHING TOUCHES





# CUSHIONS AND PILLOWS

Bespoke cushions and pillows, made to order, adding a personal touch to any space



- A quick and easy way to add colour and texture to a space
- Create different effects and moods through choice of cushion style, size, and position in the room
- Personalise the style and finish of your cushion selection with a wide choice of fabrics



Envelope



Piped



Harlequin



Button



Eyelets



Fringed




Oxford

# BEDSPREADS AND THROWS

Colour-coordinated quilted bedspreads, made to order, offering essential comfort and style



- Bedspreads and throws are an easy, stylish way to change the appearance of your space
- A simple injection of colour and texture
- Bespoke fit for any shape or size bed



**Custom embroidery service available**

# LUXURY BED LINEN AND TOWELS

Custom shaped luxury sheeting and sumptuous towels, with optional embroidery



- Luxury sheeting and sumptuous towels
- Fully tailored to ensure a truly fitted finish
- Manufactured from the finest cottons
- Custom embroidery service available





# COMPLETE LUXURY DRESS KITS

**A fully customisable sail-away package of bespoke interior furnishings, including complete bed dressing set, soft window treatments and embroidered bathroom accessories**



Our expert consultants are able to work on a one to one basis, or with design teams, sourcing and specifying high quality fabrics. Oceanair gives you the freedom to tailor your Dress Kit to include any of the following:

- Custom shaped sheets
- Pillows
- Custom shaped bedspreads
- Luxury throws
- Decorative cushions
- Romanblinds
- Curtains
- Embroidered towels & bathrobes
- Design service
- Dealer presentation packs
- Simple ordering process

## **Embroidery service**

Have any or all of these products embroidered with a logo

- Choice of thread colours
- Machine stitched for accuracy





# DRYROLL

An innovative watertight tissue dispenser, ideal for combination showers and yacht heads



- Waterproof when closed
- Automatic paper delivery and rewind

- Can be recessed or surface mounted
- Hard wearing moulded ABS plastic

Automatic paper rewind



Automatic paper delivery



Waterproof when closed



OCEAN **a i r**

 Available in  
chandleries

Hardware colour options:



White

Beige

For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)


# VENT & LIGHT

**Combined extractor fan and light, perfect for reducing mildew and mould in restricted spaces**



- Extractor fan with integrated light for galleys, showers and toilets
- Long life 2.8 watt motor
- 12 or 24 volt DC
- 50,000 hours operating life
- Vent only option available

Hardware colour options:



White

Beige

Gold

# BRUSH & STOW

**Designed to hold steady in motion and seal in unwanted odours, allowing for comfort where it counts on the road or at sea.**

- Holds steady and secure in motion
- Wall mounted
- Lock-in lid, sealing in unwanted odours
- Brushes available separately
- Perfect for bathrooms on the move
- Removable bowl for easy cleaning
- Replaceable brush heads
- Alternative brush heads available for deck and fish lockers

Hardware colour options:



White

Available from end of December 2015



**For technical data, dimensions, angle suitability, installation guides, accessories and further information, please refer to [oceanair.co.uk](http://oceanair.co.uk)**

# REPLACEMENTS & SPARES

**Oceanair offer a full range of spare parts and replacement products for blinds that may have suffered from general wear and tear or accidental damage**

Note the job ID and Customer Part Number on your product sticker and follow our online guide to find your spare part. Visit [oceanair.co.uk/marine/spare-parts](http://oceanair.co.uk/marine/spare-parts). Alternatively, email a photograph of the part/product to [salesenquiries@oceanair.co.uk](mailto:salesenquiries@oceanair.co.uk), or simply describe it to us in writing.



## THE OCEANAIR WEBSITE

**Visit [oceanair.co.uk](http://oceanair.co.uk) for**

- Product finder
- Order forms
- CAD files
- Fabric & slat samples
- Product technical data sheets
- Venetian blind stack height & weight charts.
- Installation notes
- Designer guidelines
- FAQs & Technical Support
- Inspirational case studies
- Care & Advice information
- Company & Product news
- Distributor & Office contact details



### **Photography**

We are grateful to the following organisations for permission to use photographs from their libraries:

### **Images have been supplied courtesy of:**

Airstream, Coulisse, Cruiser Yachts, Design Unlimited, Fairline Boats Ltd, H2 Yacht Design, Jeanneau Yachts, Nordhavn, Oyster Yachts, Salperton IV, SMC, Somfy, Sunseeker International, Tiara Yachts, Webasto.

**All images remain the property of their owner and all rights are reserved.**

Copyright © 2015 Oceanair Marine Ltd. Oceanair is a registered trade mark of Oceanair Marine Ltd. SKYSCREEN, SKYHADE, SKYSOL, SKYVENETIAN, VENT & LIGHT, BRUSH & STOW and DRYROLL are trade marks of Oceanair Marine Ltd. Oceanair's products are protected by numerous patents and patent applications. Every attempt has been made to ensure that the information contained herein is accurate at date of publication. In the interests of continuing design, development and product improvement, Oceanair reserve the right to change colour, fabrics, designs and product specifications without prior notice. Some fabrics in this catalogue are referred to as 'Blackout'. The term 'Blackout' is defined within the industry as exhibiting '0% Light Transmission' according to DIN EN 410 or similar standards. This relates to how well the fabric absorbs or reflects light across the electromagnetic spectrum, including the visible range (typically 380–780nm). However, it does not necessarily imply zero 'light spots'. Full terms and conditions of business are available on request from Oceanair. Published September 2015.

# SURVEY & INSTALLATION SERVICE

**No matter where you are in the world, our survey and installation team are able to assist with any project, taking complete ownership for a seamless fit and perfect finish.**

- Expert field service engineers on-call, worldwide
- Onsite survey, installation and modification service
- Provision of customized training and advice, including motor integration and wiring diagrams
- Dressing and steaming service for soft furnishing products
- Construction Skills Certification Scheme (CSCS) certified
- A Disclaimer and Barring Service check (formally CRB)
- Multilingual technical phone support
- Full public liability insurance



## OCEANAIR FABRIC COLLECTION

Oceanair are proud to present the Oceanair Fabric Collection. Over 25 years of innovative design and technical expertise has been focused on choosing the ideal fabrics to meet the rigorous yet elegant demands of the Oceanair Range. The Oceanair Sales Team can provide guidance on the most suitable choice of fabric for the design and functional criteria of your individual project, while helping you to create your bespoke environment. The Fabric collection displays a comprehensive, designer selected range for the following Oceanair Product ranges:

- SKYSOL
- SKYVENETIAN Leather, Wood & Alloy
- SKYVIEW
- SKYSCREENS & Roller Blinds
- Soft Furnishings



Please note that Oceanair reserves the right to remove fabrics from the Collection at any time. While we do our very best to provide accurate samples at all times, some colour matches and technical specifications may vary.





# LUXURY PROJECT MANAGEMENT

Oceanair's highly qualified and greatly experienced projects team are on hand to discuss your plans for your luxury home, superyacht or custom projects. We offer a large variety of window treatments and finishing touches to suit even the most challenging of interiors and specialise in providing a full design, survey and installation service.





# OCEANAIR OFFICES

## UK

**Oceanair Marine Limited**  
Atlantic House, 1 Ellis Square,  
Selsey, Chichester  
West Sussex, PO20 0AY  
United Kingdom

Tel. +44 (0)1243 606909  
Fax +44 (0)1243 608300  
salesenquiries@oceanair.co.uk  
techsupport@oceanair.co.uk  
www.oceanair.co.uk

## USA

**Oceanair Marine Limited**  
91 Manchester Valley Road  
PO Box 1727  
Manchester Center  
VT 05255  
USA

Tel. +1 802 362 5258  
Fax +1 802 362 5358  
info@oceanairmarine.com  
www.oceanairmarine.com

## WORLDWIDE DISTRIBUTION NETWORK

For a full technical support and supply service, contact your nearest Oceanair distributor:

### AUSTRALIA

AMI Marine  
+61 (0)8 9331 0000  
www.amisales.com.au

### AUSTRIA

Herman Gotthard  
+49 (0)40 851 50 50  
www.gotthardt-yacht.de

### BOSNIA & HERZEGOVINA

Unimar  
+ 386 (0)51 623-263  
www.unimar.hr

### CANADA

Paynes Marine  
Tel: +1 800 663 7483  
www.paynesmarine.com

### CARIBBEAN

Island Water World  
+1 (721) 544 5310  
www.islandwaterworld.com

### CHINA / HONG KONG

Storm Force Marine  
+852 2866 0114  
www.stormforcemarine.com

### CROATIA

Unimar  
+ 386 051 623-263  
www.unimar.hr

### DENMARK

Oceanair Marine Limited  
+44 (0)1243 606909  
www.oceanair.co.uk

### FINLAND

Maritim  
+358 (0)207 651 81  
www.maritimshops.fi

### FRANCE

Interdist  
+ 33 (0)2 99 19 54 54  
www.interdist.fr

### GERMANY

Herman Gotthard  
+49 (0)40 851 50 50  
www.gotthardt-yacht.de

### GREECE

Nautilus  
+30 2310 452919  
www.nautilus.gr

### ITALY

Osculati  
+39 02 2699 111  
www.osculati.com

### JAPAN

Industrial Suppliers Co. Ltd  
+81 3 5443 8231  
www.isco.co.jp

### MALTA

Yachting Partners Malta Ltd  
+ 356 2125 2727  
www.yachtingpartners.com.mt

### MONTENEGRO

Unimar  
+ 386 051 623-263  
www.unimar.hr

### NETHERLANDS

Webasto  
+31(0)38 337 11 37  
www.webasto.be

### NEW ZEALAND

Kiwi Yachting Consultants  
+64 9 360 0300  
www.kiwiyachting.co.nz

### POLAND

Aura sp.j.  
+48 91 579 19 00  
www.aura.szczecin.pl

### PORTUGAL

Equip yacht  
+34 932 219 219  
www.equipyacht.com

### SINGAPORE

AMI Marine  
+65 6775 0081  
www.amisales.com.au

### SLOVENIA

Unimar  
+ 386 051 623-263  
www.unimar.hr

### SOUTH AFRICA

Central Boating  
+27 21 510 5822  
www.centralboating.com

### SOUTH AMERICA

Oceanair Marine  
+1 802 362 5258  
www.oceanairmarine.com

### SPAIN\*

Equip yacht  
+34 932 219 219  
www.equipyacht.com

### SWEDEN

Thermoprodukter  
+46 (0)480 42 58 80  
www.thermoprodukter.se

### SWITZERLAND

Bucher+Walt  
+41 (0)32 755 95 00  
www.bucher-walt.ch

### TAIWAN

Ing Hai Co Ltd  
+ 886 (0)915 676 363 / 22531 2088

### THAILAND

Sail in Siam  
+66 818 375 507  
www.sallinsiam.com

### TURKEY

Oceanair Marine Limited  
+44 (0)1243 606909  
www.oceanair.co.uk

### UNITED ARAB EMIRATES

Exalto Emirates  
+971 6 5453366  
www.exalto-emirates.com

### UNITED KINGDOM

International Marine Products  
+44 (0)1763 241300  
www.improducts.co.uk

### USA (RV market only)

Syntec Industries  
+1 706 235 1768  
www.syntecind.com

### USA

Oceanair Marine  
+1 802 362 5258  
www.oceanairmarine.com

\* For Palma, please contact Equip yacht  
or International Marine Products (UK)