

Fenders



Inflatable fender

Equipped with a nylon inflation valve with a through rope.

Sturdy and generously sized with excellent cushioning power, equipped with a central tube and suitable rope.

Code	Ø cm	↔ cm	kg	Code	Ø cm	↔ cm	kg
33.512.01	10	26	0.4	33.512.03	16	54	1.4
33.512.02	12	36	0.6	33.512.04	20	56	1.5
33.512.22	14	46	0.7	33.512.05	21	62	1.7


OSCULATI



Inflatable fender with double eye

Fitted with inflating valve. Excellent value for money.

Model	Colour			Ø cm	↔ cm	kg
	white	blue	black			
NDH-0	33.401.00	33.402.00	33.403.00	10	34	0.3
NDH-1	33.401.01	33.402.01	33.403.01	11	46	0.4
NDH-2	33.401.02	33.402.02	33.403.02	13	53	0.7
NDH-3	33.401.03	33.402.03	33.403.03	16	61	1



Curved fender suitable for the bow

In white colour. They are equipped with three eyelets for easier installation. Provided with a valve for inflation.

Code	↔ cm			
	A	B	C	D
33.513.01*	35	29	11	25
33.513.02*	35	26.5	22	33
33.513.03	55	46	29	47



▲ 33.515.01/02




▲ 33.515.11/12

Flat fenders

In soft closed-cell foam PVC, with an outer coating of coated and welded PVC fabric. They can be folded for easier storage.

Colour		↔ cm	Thickness cm
white	black		
33.515.01	33.515.11 New	61 x 16.5	6.4
33.515.02	33.515.12 New	87 x 16.5	10



Fenders for inflatables

Made of light grey closed cell EVA foam. Preformed, with 350-mm radius for use on inflatables up to 12 metres. Ideal to protect inflatables from impact against wharves and docks.

Code	↔ cm	Thickness cm
33.516.01	25x50	2
33.516.02	33x66	2

