

### Aluminium T-Top

Manufactured from anodized tube Ø 32 mm. Universal, as the fittings can be adjusted as desired. The fabric of the "Top" is made of blue ATLAS polyester, 310 g/m<sup>2</sup>, waterproof and UV resistant and can be removed for maintenance. All components are stainless.

**Max. allowable speed when T-top is installed: 25 knots.**

| Code      | Tube Ø mm | Length A mm | Width B mm | Max width of console A1 mm | Max height C mm |
|-----------|-----------|-------------|------------|----------------------------|-----------------|
| 48.194.01 | 32        | 1700        | 1200       | 850                        | 2050            |
| 48.194.02 | 32        | 1700        | 1400       | 1050                       | 2050            |




48.194.04 Fishing rod holder for 32-mm Ø tube

48.194.03 Supports for navigation lights.



▲ 48.194.03



▲ 48.194.04



**New**

### Professional aluminium T-top

Made from Ø 44-mm tubes, complete with high-strength resin fittings and high-quality welded parts. Universal as the console attachments can be adjusted at will. T-Top made of waterproof and UV-resistant ATLAS polyester fabric.


**Epoxy powder-coated frame.**

| Code      | Tube Ø mm | Length A mm | Width B mm | Max width of console A1 mm | Max height C mm | Colour | Fabric colour |
|-----------|-----------|-------------|------------|----------------------------|-----------------|--------|---------------|
| 48.195.04 | 44        | 2000        | 1400       | 900                        | 2050            | white  | blue          |
| 48.195.44 | 44        | 2000        | 1400       | 900                        | 2050            | Black  | Black         |
| 48.195.05 | 44        | 2000        | 1600       | 1000                       | 2050            | white  | blue          |
| 48.195.55 | 44        | 2000        | 1600       | 1000                       | 2050            | Black  | Black         |



48.195.01 Nylon rod holder for 44-mm Ø pole.

48.195.02 Supports for navigation lights.



▲ 48.195.01

▲ 48.195.02

▲ 48.195.04/05

▲ 48.195.44/55



### Professional aluminium T-top

Manufactured from Ø 44 mm tube, with high-strength resin fittings and very high-quality welded parts. Universal as the connections to the console can be adjusted as desired. The fabric of the T-Top is blue ATLAS polyester 340 g/m<sup>2</sup> waterproof and UV resistant.


**Max. allowable speed when T-top is installed: 25 knots.**

| Code      | Tube Ø mm | Length A mm | Width B mm | Max width of console A1 mm | Max height C mm |
|-----------|-----------|-------------|------------|----------------------------|-----------------|
| 48.195.03 | 44        | 2000        | 1400       | 1000                       | 2000            |



48.195.01 Nylon rod holder for 44-mm Ø pole.

48.195.02 Supports for navigation lights.



▲ 48.195.01



▲ 48.195.02

